

March 14, 2005

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Whitney
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Applications for Permit to Drill: Federal 11-11-9-18, 13-11-9-18, and 15-11-9-18.

Dear Diana:

Enclosed find APD's on the above referenced wells. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,

Mandie Crozier

Regulatory Specialist

mc

enclosures

RECEIVED

MAR 1 5 2005

DIV. OF OIL, GAS & MINING


RECEIVED MAR 15 2005

Form 3160-3 (September 2001)				DILORY APPRO OMB No. 160 Expires January	OYED HOVEO & MINING 31, 2004	
UNITED STATES DEPARTMENT OF THE IN				5. Lease Serial No.		
BUREAU OF LAND MANAG		UTU-15392				
APPLICATION FOR PERMIT TO DE	RILL OR R	FENTER		6. If Indian, Allottee or T	ribe Name	
AT LIGHTON ON LINE TO BE				N/A		
1a. Type of Work: DRILL REENTE	R			7. If Unit or CA Agreemen	nt, Name and No.	
TODAY.	ir.			N/A		
1b. Type of Well: 🗵 Oil Well 🚨 Gas Well 🚨 Other	Ĭ S	ingle Zone 🚨 Multi	ple Zone	8. Lease Name and Well N Federal 13-11-9-1		
Name of Operator Newfield Production Company				9. API Well No. 43 -00	47-36386	
3a. Address		o. (include area code)		10. Field and Pool, or Explo		
Route #3 Box 3630, Myton UT 84052	1) 646-3721		Eight Mile Flat		
4. Location of Well (Report location clearly and in accordance with At surface SW/SW 771' FSL 654' FWL 5963 At proposed prod. zone 44326	9× 4	irements.*) {0,040323 {04.8672;	35	11. Sec., T., R., M., or Blk. SW/SW Sec. 11, T		
14. Distance in miles and direction from nearest town or post office*				12. County or Parish	13. State	
Approximatley 20.5 miles southeast of Myton, Utah	· · · · · · · · · · · · · · · · · · ·			Uintah	UT	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 654' f/lse, NA f/unit		Acres in lease	17. Spacir	ag Unit dedicated to this well 40 Acres		
18. Distance from proposed location*	19. Proposed Depth 20. BLM			BIA Bond No. on file		
to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 2387	5785'			UTU0056		
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4909' GL	Approximate date work will start* 3rd Quarter 2005			23. Estimated duration Approximately seven (7) days from spud to rig release.		
	24. Atta	chments				
The following, completed in accordance with the requirements of Onsho	re Oil and Gas	Order No.1, shall be at	tached to thi	s form:		
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office). 		4. Bond to cover to Item 20 above).5. Operator certification	he operatio cation. specific inf	ormation and/or plans as ma		
25. Signature	•	(Printed/Typed) ndie Crozier		Date	3/14/05	
Title Regulatory Specialist						
Approved by Signatures	BRA	(Printed/Typed) DLEY G. HII	L	Dat	53-15-05	
Title	ENVIRON	MENTAL SCIENT	IST III	,		
Application approval does not warrant or certify the the applicant holds loperations thereon. Conditions of approval, if any, are attached.	egal or equitab	ele title to those rights in	the subject	lease which would entitle the	applicant to conduct	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it	a crime for a	ny person knowingly ar	nd willfully t	to make to any department or	agency of the United	

*(Instructions on reverse)

T9S, R18E, S.L.B.&M.

S89*58'W - 79.98 (G.L.O.)




= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (UTELAND BUTTE)

NEWFIELD PRODUCTION COMPANY

WELL LOCATION, FEDERAL 13-11-9-18, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 OF SECTION 11, T9S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

SCALE: 1" = 1000'	SURVEYED BY: D.P.
DATE: 1-11-05	DRAWN BY: F.T.M.
NOTES:	FILE #

NEWFIELD PRODUCTION COMPANY FEDERAL #13-11-9-18 SW/SW SECTION 11, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:</u>

Uinta 0' - 2070' Green River 2070' Wasatch 5785'

3. <u>ESTIMATED DEPTHS OF ANTICIPATED WATER</u>, OIL, GAS OR MINERALS:

Green River Formation 2070' - 5785' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Please refer to the Monument Butte Field SOP.

8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY FEDERAL #13-11-9-18 SW/SW SECTION 11, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #13-11-9-18 located in the SW 1/4 SW 1/4 Section 11, T9S, R18E, Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 15.3 miles \pm to it's junction with an existing dirt road to the east; proceed easterly -3.6 miles \pm to it's junction with the beginning of the proposed access road; proceed along the proposed access road $-320'\pm$ to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

7. METHODS FOR HANDLING WASTE DISPOSAL

Please refer to the Monument Butte Field SOP.

8. ANCILLARY FACILITIES

Please refer to the Monument Butte Field SOP.

9. WELL SITE LAYOUT

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

11. SURFACE OWNERSHIP - Bureau Of Land Management

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #03-1560, 4/2/04. Paleontological Resource Survey prepared by, Wade E. Miller, 4/7/04. See attached report cover pages, Exhibit "D".

For the Federal #13-11-9-18 Newfield Production Company requests 320' of disturbed area be granted in Lease UTU-15392 to allow for construction of the proposed access road. Refer to Topographic Map "B". The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 400' of disturbed area be granted in Lease UTU-17424, 8160' of disturbed area be granted in Lease UTU-16539, 7080' of disturbed area be granted in Lease UTU-16539, 720' of disturbed area be granted in Lease UTU-16539, 720' of disturbed area be granted in Lease UTU-39714, and 3430' of disturbed area be granted in Lease UTU-15392 to allow for construction of the proposed gas lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Newfield Production Company requests 1370' of disturbed area be granted in Lease UTU-17424, 8160' of disturbed area be granted in Lease UTU-16539, 7080' of disturbed area be granted in Lease UTU-17036, 1140' of disturbed area be granted in Lease UTU-16539, 720' of disturbed area be granted in Lease UTU-39714, and 3430' of disturbed area be granted in Lease UTU-15392 to allow for construction of the proposed water lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a buried 3" steel water injection line and a 3" poly water return line. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

Burrowing Owl: Due to the proximity of the location to active prairie dog towns, there is the potential to encounter nesting burrowing owls between April 1 and August 15. If new construction or surface disturbing activities are scheduled between April 1 and August 15, preconstruction surveys will be conducted to detect the presence of nesting burrowing owls within 0.5 mile of any new construction or surface disturbing activity (see Vernal BLM Field Office

Protocol). No new construction or surface disturbing activities will be allowed between April 1 and August 15 within a 0.5 mile radius of any active burrowing owl nest.

Reserve Pit Liner

A pit liner will be required if fractured rock is encountered. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Shadscale Atriplex confertifolia 4 lbs/acre
Indian Ricegrass Oryzopsis hymenoides 4 lbs/acre
Fourwing Saltbush Atriplex canescens 4 lbs/acre

Details of the On-Site Inspection

The proposed Federal #13-11-9-18 was on-sited on 11/16/04. The following were present; Brad Mecham (Newfield Production) and Byron Tolman (Bureau of Land Management). Weather conditions were clear.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

<u>Representative</u>

Name:

Brad Mecham

Address:

Route #3 Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

Certification

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #13-11-9-18 SW/SW Section 11, Township 9S, Range 18E: Lease UTU-15392 Uintah County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.


I hereby certify that the proposed drillsite and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Data

Mandie Crozier

Regulatory Specialist


Newfield Production Company





NEWFIELD PRODUCTION COMPANY


CROSS SECTIONS

FEDERAL 13-11-9-18









1" = 50'

STA. 0+00

ESTIMATED	EARTHWORK	K QUA	NTITII	ES
(No Shrink or sw	vell adjustmen	ts have	been	used)
(Expres	ssed in Cubic	Yards)		


1	, ,			
ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	2,090	2,080	Topsoil is not included	10
PIT	640	0	in Pad Cut	640
TOTALS	2,730	2,080	960	650

NOTE: UNLESS OTHERWISE NOTED ALL CUT/FILL SLOPES ARE AT 1.5:1

SURVEYED BY:	D.P.	SCALE:	1" = 50'
DRAWN BY:	F. T.M.	DATE:	1-11-05


 $/Tri_{Land\ Surveying,\ Inc.}^{State}$ 180 NORTH VERNAL AVE. VERNAL, UTAH 84078


NEWFIELD PRODUCTION COMPANY TYPICAL RIG LAYOUT FEDERAL 13-11-9-18




SURVEYED BY: D.P. SCALE: 1" = 50'DRAWN BY: F.T.M. DATE: 1-11-05


 $/Tri_{Land\ Surveying,\ Inc.}^{State}$ 180 North Vernal ave. Vernal, Utah 84078







	10		31	12	7	Э	9	10	11	12		8 !		0	31	12	7	0	Loc	ld Wells
16	16		14	13	18	17	T4S-R2		10	13	18		4S-R1\	15 ^/	14	13	10	17	∪ Dril ∪ Wa • Pro	face Spud ling Iting on Completio ducing Oil Well ducing Gas Well
21	22	T46-F	23W	24	19	20	21	22	23	2-24 247-24 10-24 9-24	10	20 2	н	22	23	24	19	20 45	21 3 Ter	ter Injection Well Hole nporarily Abandon gged & Abandone
28	27		28	25	30 20	21 21 3	29 man 19	30 223 430 100 100 100 100 100	Noncopfer Burs N	10 Granier	0-20 f-20 20 -20 f-21	5-R17E (21 021521 021 1221 1121 1021 021 1121 (1021 021	1-22Y .	1223 1 30 7 2	1 50 24 754 10·24		30	29	⊮ Wat	ter Source Well ter Disposal Well ction Stations
3	34	J25	26	4-30 30	29	T 8 S	R16E 33	1422 6 18 22 428 6 28 8 28 6 28 6 28 6 28 6 28 6 28 26 12 6 28 6 28 6 28	\$26 200 \$20 \$20 \$20 \$20 \$20 \$20 \$20 \$20 \$20	130 530 3130 530 530 630 530 630 530 630 630 630	20 500 120 600 20 620 630 20 620 630	162 (1621 1628 528 528 (1628 1628 62826 628 1028 628	ip 0 16-22 4	4 14 15 2	3 10.20 (31 26.00 / 20.20 / 20	24 25 26 35 25 25 20	6 34 32 39 29 10 29 43 39 34 39 45 39	28 128 T8S	R18E 452	34 36-2 36 12-26 28 30-26
	3	25	38 7-36	31 14-31	La za da con da		13 (24 63) (24 63) 11348 / 1134 (2	250 630 535 630 1238 635 1039 535	to state so	531 531 531 631 1231 1131 831	12 22 10 2 (22	03 10 33 p 33	834 834 7.34 834 34 1034 834	36 ₃₈	638 039 F36 15-3010-30	631 631 751631 638 231 1631 831	15 15 15s		1534 1534 1534 1534	3.63
	3	Ashley 2 2 2 11.2 10.2 10.3	6 8 K	1 26 fre 23	97 41-9 11-6 21-60 31-0 42-97 21-50 31-0 97 24 22-00 3	0 4 4 184 184 184 184 184 184 184 184 184	(43 m (43 m)	2 62 62 62 62 62 62 62 62 62 62 62 62 62	in Grands in incident Grands	the Mexicase	20 20 10 00 20 20 10 00	64 24 84 84 84 84 84 84 84 84 84	23.357 34 13.251 183 23 1437 183 23	11-2 231 12-2 22 13-2 22	2 1 ² 2 1 62 1 62 1 ¹ -1	00 878 11-8 58 150 150 150	31-84 5	44	, 6	
-)	15 100 010 10 10 10 = 10	11 311 211 11 611 211 11 611 211 61 11 11 11 11 6	1 6-12 6-12 5-12 1 6-12 6-12 5-12 11-12 10-12	61 61 67 8	7 13 4 5 14 14 14 14 14 14 14 14 14 14 14 14 14	159 25 97	10 5-10 7-10 7R	ikni 113kni 13hi _{2kni} 7 dhi	1 4 2 01:	11.7 6.7 st.7	The Mark of the sign of the si	13-14 22-15 14 14 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	2-107 1032-10 12-10 11-1010-10 p-20	กล้างสำ	131 332 11 32 12 732 131 1132		120 mg	9	610,0	1511
11.00	20 130 4	14 234 234 23 34 134 234 23 34 1374 14 23 1574	3-13	31-	25 257 257 2544 644 2537 ,	18	31-16 41- 21-1618 42-11 33-18	\$25 64 77 644 14 64 77 64	F 22-93V	618 318 T	11.17 21.17 31-17 4141	16-16-3 16-3 16-3 16-3 16-4 16-4 16-4 16-4 16-4 16-4 16-4 16-4	21-151 6-15 6-15 11-15 10-16	14 32	-14 19	430	17	18 TOS-FI	15	14 33-14
232	22 +	9S-R1	24 12.34R 10.34R	10	8 31.2 20.25.2		162 98-	6 10 11: 6 13: 1/2: 20 2: 10:20 6 2:	12 24 24	18-1 19 مى۔ 1-19	20-1 2-20 20	21	42 €22 252 22 3-12 17E	21 27 23 23	24	31-Tay " 18 43		21 14-21V	22	23
	27	4 26	25	30	28	26	27	267-28	21- 2 5Y 25	30	29	28	27	26	26	30	29 29 29 29 29 29 29 29 29 29 29 29 29 2	28	27	28
3	34	35	38	31	32	33	34	35	36		12	33	34	35	38	31	32	39		FEELD T
0	S-Ri	5E_2	,	6	5	T105-F	R16E,	2		à	5	Total Co	S-R17E	2	- 49	Б	5	4		Ustal Coulies



2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

Exhibit "D"

Page 144

CULTURAL RESOURCE INVENTORY OF INLAND RESOURCE'S BLOCK SURVEY ON EIGHT MILE FLAT, TOWNSHIP 9 SOUTH, RANGE 18 EAST, SECTIONS 9, 10, 11, 14, 15 AND 23, UINTAH COUNTY, UTAH

by

Amanda Wilson and Keith R. Montgomery

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Inland Production Route 3 Box 3630 Myton, Utah 84052

Prepared By:


Montgomery Archaeological Consultants P.O. Box 147 Moab, Utah 84532

MOAC Report No. 03-156

April 2, 2004

United States Department of Interior (FLPMA)
Permit No. 03-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-04-MQ-0801b



INLAND RESOURCES, INC.

PALEONTOLOGICAL FIELD SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, DUCHESNE & UINTA COUNTIES, UTAH

Section 13, T 9 S, R 16 E [excluding NW 1/4]; Section 11, T 9 S, R 18 E [excluding NW/SW, 12-11]; Section 27, T 9 S, R 15 E [excluding NE/SW, 11-27]


REPORT OF SURVEY

Prepared for:

Inland Resources, Inc.


Prepared by:

Wade E. Miller Consulting Paleontologist April 7, 2004



WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVE	D: 03/15/2005	API NO. ASSIGNED: 43-047-36386				
	FEDERAL 13-11-9-18 NEWFIELD PRODUCTION (N2695) MANDIE CROZIER	PHONE NUMBER: 43	35-646-3721			
SWSW	11 090S 180E	INSPECT LOCATN	BY: / /			
	: 0771 FSL 0654 FWL 0771 FSL 0654 FWL	Tech Review	Initials	Date		
UINTAH 8 MILE H LEASE TYPE: LEASE NUMBE SURFACE OWN PROPOSED FO	FLAT NORTH (590) 1 - Federal ER: UTU-15392 IER: 1 - Federal PRMATION: GRRV PHANE WELL? NO	Engineering Geology Surface LATITUDE: 40.0				
Plat Bond: (No. Potas N oil S Water (No. RDCC (Dat	Fed[1] Ind[] Sta[] Fee[] UTU0056	R649-3-3. E Drilling Uni Board Cause Eff Date: Siting:	General rom Qtr/Qtr & 920' Exception	Between Wells		
		saparonas Cacing Stip				
	- Q ₁					





State of Utah

Department of Natural Resources

> MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

MARY ANN WRIGHT Acting Division Director



GARY R. HERBERT Lieutenant Governor

March 15, 2005

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re: <u>Federal 13-11-9-18 Well, 771' FSL, 654' FWL, SW SW, Sec. 11, T. 9 South,</u> R. 18 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-36386.

Sincerely,

John R. Baza Associate Director

pab Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

Lease:	UTU-1	5392	
Lease:	UTU-1:	5392	
Location: <u>SW SW</u>	Sec. 11	T. 9 South	R. 18 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

ORM	APPROVED	

Budget Bureau	No.	1004-01
---------------	-----	---------

r.spucs.	with the	1, 1	, , , ,	
Louco Docion	ation and	LSo	rial 2	Vin.

		5. Lease Designation and Serial No.
SUNDRY NOTICES AN	D REPORTS ON WELLS	UTU-15392
Do not use this form for proposals to drill or to dee	6. If Indian, Allottee or Tribe Name	
Use "APPLICATION F	OR PERMIT -" for such proposals	NA
		7. If Unit or CA, Agreement Designation
SUBMIT IN	I TRIPLICATE	N/A
1. Type of Well X Oil Gas Well Other		8. Welf Name and No. FEDERAL 13-11-9-18 9. API Well No.
2. Name of Operator		43-047-36386
NEWFIELD PRODUCTION COMPANY		10. Field and Pool, or Exploratory Area EIGHT MILE FLAT NORTI
3. Address and Telephone No.	11. County or Parish, State	
Rt. 3 Box 3630, Myton Utah, 84052 435-6 4. Location of Well (Footage, Sec., T., R., m., or Survey Description)	740-3721	
	on 11, T9S R18E	UINTAH COUNTY, UT.
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPO	DRT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OI	FACTION
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent detail	s, and give pertinent dates, including estimated date of starting any propose	ed work. If well is direction-

Newfield Production Company requsts to extend the Permit to Drill this well for one year. The original approval date was 3/15/05 (expiration 3/15/06).

This APD has not been approved yet by the BLM.

Approved by the Utah Divide die al Oil, Gas and W

RECEIVED MAR 0 3 2006

DIV. OF OIL, GAS & MINING

Signed Mandie Crozier	ritle	Regulatory Specialist	Date	2/28/2006
CC; UTAH DOGM				
(Inis space for Federal or State office use)				
Approved by	Title		Date	
s wild are some provided that y				



43-047-36386

API:

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

Well Name: Federal 13-11-9-18
Location: SW/SW Section 11, T9S R18E
Company Permit Issued to: Newfield Production Company Date Original Permit Issued: 3/15/2005
Date Original Permit Issued. 3/13/2003
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes □ No □ ♠
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes \square No \square
Has the approved source of water for drilling changed? Yes□No៧
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐
Wlandi Ciosin 3/1/2006
Signature Date
Signature Date
Title: Regulatory Specialist
Representing: Newfield Production Company

FORM 3160-5 (June 990) -

CC: Utah DOGM

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135

BUREAU OF LAND MANAGEMENT		Expires: March 31, 1993	
SUNDRY NOTICES AND	5. Lease Designation and Serial No. UTU-15392 6. If Indian, Allottee or Tribe Name NA		
Do not use this form for proposals to drill or to dee Use "APPLICATION Fo			
SUBMIT IN	7. If Unit or CA, Agreement Designation N/A		
1. Type of Well X Oil Well Gas Well Other	8. Well Name and No. FEDERAL 13-11-9-18 9. API Well No.		
Name of Operator NEWFIELD PRODUCTION COMPANY Address and Telephone No.	43-047-36386 10. Field and Pool, or Exploratory Area EIGHT MILE FLAT NORTI		
Rt. 3 Box 3630, Myton Utah, 84052 435-6	46-3721	11. County or Parish, State	
4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 771 FSL 654 FWL SW/SW Section 11, T9S R18E		UINTAH COUNTY, UT.	
	TO INDICATE NATURE OF NOTICE, REPO		
TYPE OF SUBMISSION	TYPE OF	ACTION	
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well	
Newfield Production Company reques approval date was 3/15/05 (expiration	3/15/07).	ell for one year. The original	
This APD has not yet been approved be	Approved by the Utah Division of Oil, Gas and Mining		
D B	ate: <u>53-26-57</u> y: <u>53-26-57</u>	MAR 0 6 2007 DOD DIV. OF OIL, GAS & MINING	
	The second secon	Mr)	
14. I hereby certify that the foregoing is true and correct Signed Mandie Crozier	Title Regulatory Specialist	Date 3/5/2007	
CC: UTAH DOGM			
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date	
- · · · · · · · · · · · · · · · · · · ·			

Application for Permit to Drill Request for Permit Extension Validation

Validation (this form should accompany the Sundry Notice requesting permit extension)

RECEIVED

MAR 1 5 2005

Form 3160-3

BLM VERNAL, UTAH

FORM APPROVED OMB No. 1004-0136 (September 2001) Expires January 31, 2004 **UNITED STATES** 5. Lease Serial No. DEPARTMENT OF THE INTERIOR UTU-15392 **BUREAU OF LAND MANAGEMENT** If Indian, Allottee or Tribe Name APPLICATION FOR PERMIT TO DRILL OR REENTER 7. If Unit or CA Agreement, Name and No. la. Type of Work: ✓ DRILL REENTER 8. Lease Name and Well No. 1b. Type of Well: Oil Well Gas Well Other Single Zone Multiple Zone Federal 13-11-9-18 2. Name of Operator 9. API Well No **Newfield Production Company** 13047 3a. Address 3b. Phone No. (include area code) Route #3 Box 3630, Myton UT 84052 (435) 646-3721 Eight Mile Flat 11. Sec., T., R., M., or Blk. and Survey or Area Location of Well (Report location clearly and in accordance with any State requirements.*) At surface SW/SW 771' FSL 654' FWL SW/SW Sec. 11, T9S R18E At proposed prod. zone 14. Distance in miles and direction from nearest town or post office* 12. County or Parish 13. State Approximatley 20.5 miles southeast of Myton, Utah Uintah UT 15. Distance from proposed 16. No. of Acres in lease 17. Spacing Unit dedicated to this well location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any) Approx. 654' f/lse, NA f/unit 40 Acres 380.00 20. BLM/BIA Bond No. on file 18. Distance from proposed location* 19. Proposed Depth to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 2387 5785 UTU0056 Elevations (Show whether DF, KDB, RT, GL, etc.) 22. Approximate date work will start* 23. Estimated duration 4909' GL 3rd Quarter 2005 Approximately seven (7) days from spud to rig release. 24. Attachments The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, shall be attached to this form: 1. Well plat certified by a registered surveyor. Bond to cover the operations unless covered by an existing bond on file (see 2. A Drilling Plan. Item 20 above). Operator certification 3. A Surface Use Plan (if the location is on National Forest System Lands, the Such other site specific information and/or plans as may be required by the SUPO shall be filed with the appropriate Forest Service Office). authorized officer. 25. Signature Name (Printed/Typed) Mandie Crozier Title Regulatory Specialist Approved by (Signapur Date SERRY 3-8-2007 tant Field Manager Title Office VERNAL FIELD OFFICE Lands & Mineral Resources Application approval does not warrant or certify the the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct

operations thereon

Conditions of approval, if any, are attached

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

IOTICE OF APPROVAL

DITIONS OF APPROVAL A

RECEIVED

MAR 1 6 2007

DIV. OF OIL, GAS & MINING

05PP 0451A

15 1665



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE



170 South 500 East

VERNAL, UT 84078

(435) 781-4400

CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Newfield Production Company

Location:

SWSW, Sec 11, T9S, R18E

Well No:

API No:

Federal 13-11-9-18

Lease No:

UTU-15392

43-047-36386

Agreement: N

N/A

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	435-781-4490	435-828-4470
Petroleum Engineer:	Michael Lee	435-781-4432	435-828-7875
Petroleum Engineer:	James Ashley	435-781-4470	435-828-7874
Petroleum Engineer:	Ryan Angus	435-781-4430	
Supervisory Petroleum Technician:	Jamie Sparger	435-781-4502	435-828-3913
NRS/Enviro Scientist:	Paul Buhler	435-781-4475	435-828-4029
NRS/Enviro Scientist:	Karl Wright	435-781-4484	
NRS/Enviro Scientist:	Holly Villa	435-781-4404	
NRS/Enviro Scientist:	Melissa Hawk	435-781-4476	435-828-7381
NRS/Enviro Scientist:	Chuck MacDonald	435-781-4441	
NRS/Enviro Scientist:	Jannice Cutler	435-781-3400	
NRS/Enviro Scientist:	Michael Cutler	435-781-3401	
NRS/Enviro Scientist:	Anna Figueroa	435-781-3407	
NRS/Enviro Scientist:	Verlyn Pindell	435-781-3402	
NRS/Enviro Scientist:	Darren Williams	435-781-4447	
NRS/Enviro Scientist:	Nathan Packer	435-781-3405	
After Hours Contact Number: 435-781-4513		Fax: 435-781-4410	

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a one-year period. An additional year extension may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify NRS/Enviro Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify NRS/Enviro Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supervisory Petroleum Technician)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings
BOP & Related Equipment Tests (Notify Supervisory Petroleum Technician)	-	Twenty-Four (24) hours prior to initiating pressure tests
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days

Page 2 of 6 Well: Federal 13-11-9-18 2/12/2007

SURFACE USE PROGRAM **CONDITIONS OF APPROVAL (COAs)**

CONDITIONS OF APPROVAL

See SOP and APD Conditions of Approval not covered in SOP and APD:

- Timing Limitation April 1 through August 15 A timing restriction will be in affect for all sites to protect the Burrowing owl during its nesting season.
- The access road will be crowned and ditched. Flat-bladed roads are not allowed.
- If additional erosion occurs during the life of this project, more culverts, low water crossings, berms, wing ditches or etc. will be needed to control the erosion.
- Low-water crossings will be appropriately constructed to avoid sedimentation of drainage ways and other water resources.
- Pipelines will be buried at all major drainage crossings.
- The reserve pit will be lined with a 12 ml or greater liner and felt prior to spudding.
- If paleontologic or cultural materials are uncovered during construction, the operator shall immediately stop work that might further disturb or move such materials and contact the Authorized Officer (AO) within 48 hours. A determination will be made by the AO as to necessary mitigation for the discovered paleontologic/cultural material.
- If Uinta Basin hookless cactus or other special status plants are found, construction will cease and the AO will be notified to determine the appropriate mitigation.

The interim seed mix for this location shall be:

Crested Wheat grass: 6 lbs/acre

Indian Rice grass:

6 lbs/acre

- The operator will be responsible for treatment and control of invasive and noxious weeds.
- All well facilities not regulated by OSHA will be painted Carlsbad Canyon.
- No right of way would be required since it is address in another APD for the gas and water lines.
- There were two archeological sites near this project,. It is recommended that a Archeological monitor be conducted while the site is being constructed by a authorized BLM Archeologist.

General Surface COA

Operator shall notify any active Gilsonite mining operation within 2 miles of the location 48 hours prior to any blasting during construction for this well.

Page 3 of 6 Well: Federal 13-11-9-18 2/12/2007

DOWNHOLE CONDITIONS OF APPROVAL

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL

None

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well. Any changes in operation must have prior approval from the BLM, Vernal Field Office Petroleum Engineers.
- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and NOT by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The lessee/operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled and analyzed (a copy of the analyses to be submitted to the BLM Field Office in Vernal, Utah).
- All oil and gas shows shall be adequately tested for commercial possibilities, reported, and protected.

Page 4 of 6 Well: Federal 13-11-9-18 2/12/2007

- The lessee/operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) shall the BLM need to obtain additional information.
- All shows of fresh water and minerals shall be reported and protected. A sample shall be taken
 of any water flows and a water analysis furnished the BLM, Vernal Field Office. All oil and gas
 shows shall be adequately tested for commercial possibilities, reported, and protected.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM, Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM, Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a
 weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is
 completed.
- Any change in the program shall be approved by the BLM, Vernal Field Office. "Sundry Notices and Reports on Wells" (Form BLM 3160-5) shall be filed for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.
- Emergency approval may be obtained orally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan pursuant to Onshore Oil & Gas Order No. 1 of 43 CFR 3164.1 and prior approval by the BLM, Vernal Field Office.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

Page 5 of 6 Well: Federal 13-11-9-18 2/12/2007

A cement bond log (CBL) will be run from the production casing shoe to the surface casing shoe
and shall be utilized to determine the bond quality for the production casing. Submit a field copy
of the CBL to this office.

- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welliogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease shall have prior written approval from the BLM, Vernal Field Office.
- All measurement points shall be identified as point of sales or allocation for royalty determination prior to the installation of facilities.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The Field Office
 Petroleum Engineers will be provided with a date and time for the initial meter calibration and all
 future meter proving schedules. A copy of the meter calibration reports shall be submitted to
 the BLM, Vernal Field Office. All measurement facilities will conform to the API standards for
 liquid hydrocarbons and the AGA standards for natural gas measurement.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM, Vernal Field Office within 30 days of installation or first production, whichever
 occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- This APD is approved subject to the requirement that, shall the well be successfully completed for production, the BLM, Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - o Well name and number.
 - o Well location (1/41/4, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - o The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and / or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from Field Office Petroleum Engineers.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major

Page 6 of 6 Well: Federal 13-11-9-18 2/12/2007

Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.

- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

FORM 3160-5 UNITED STATES FORM APPROVED (June 1990) DEPARTMENT OF THE INTERIOR Budget Bureau No. 1004-0135 BUREAU OF LAND MANAGEMENT Expires: March 31, 1993 3/11/2003 5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS UTU-15392 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals NA 1417 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE N/A l. Type of Well Oil Gas 8. Well Name and No. Well Other FEDERAL 13-11-9-18 Well 9. API Well No. 2, Name of Operator 43-047-36386 **NEWFIELD PRODUCTION COMPANY** 10. Field and Pool, or Exploratory Area EIGHT MILE FLAT NORTI 3. Address and Telephone No. Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721 11. County or Parish, State 4. (socation of Well (Footage, Sec., T., R., m., or Survey Description) 771 FSL 654 FWL SW/SW Section 11, T9S R18E UINTAH COUNTY, UT. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Do not use this X Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection **Permit Extension** Other Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is direction-🖰 vally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 3/15/05. 271 FAR 054 This APD is not yet due to expire with the BLM. Approved by the Dopost use dies Utah Division of Oil. Gas and Mining COPY SENT TO OPERATOR Date: 3.20.2008 Initials: 14. I hereby certify that the foregoing is true

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fradulent statements or representations as to any matter within its jurisdiction.

Mandie Crozier

(This space for Federal or State office use)

CC: UTAH DOGM

Approved by # 8"

Conditions of approval, if any:
CC: Utah DOGM.

Regulatory Specialist

3/14/2008

Date



party regional resta-

Application for Permit to Drill Request for Permit Extension Validation

3.6

....

(this form should accompany the Sundry Notice requesting permit extension)

	API:	43-047-36386		
د د د و المساف شخوص د د د و المساف شخوصت	Well Name:	Federal 13-11-9-1	18	
	Location:	SW/SW Section 11,	T9S R18E	
this spirit in		mit Issued to:	Newfield Production Co	mpany
Janor kinda	Date Original	Permit Issued:	3/15/2005	
Organistic and Section 1901 Francisco America Section Control	above, hereby	verifies that the	information as subm	on the property as permitted itted in the previously s not require revision.
	Following is a	checklist of some	items related to the	application, which should be
	verified.	Checklist of Some	richis related to the	s application, writer should be
	voimou.			
s - Carlossi All Carlossi Allossi Allossi Allossi Allossi Allossi Allossi Allossi A	•	rivate land, has t en updated? Yes	•	ed, if so, has the surface
	·		he vicinity of the pronts for this location?	posed well which would affect Yes⊟No <i>I</i> Z
		•	r agreements put in roposed we <mark>ll</mark> ? Yes⊑	place that could affect the long long long long long long long long
	(\$6 - V);	•	o the access route in roposed location? Y	ncluding ownership, or right- es⊟ No ☑
A PART OF A PART	Has the approv	ved source of wa	ter for drilling chang	ed? Yes□ No ⊡
		ire a change in p		ce location or access route discussed at the onsite
	Is bonding still	in place, which c	overs this proposed	well? Yes ☑ No □
and the second second		\wedge		
in the state of th	V/ 1/100	1. (200	•	2/28/2008
	Signature	as Cary	}	Date
Aging and State of the	ွှဲပါမျှကြသောင ႏွ			Date
Constraint of wife	Title: Regulator	v Snacialist		
The second secon	Title: Regulator	, pecianst		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 8			
garaga da Marija da karan da Baran da karan da ka	Representing:	Newfield Productio	n Company	
	4 '			
a subsequently the state of the contract of th				



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410 http://www.blm.gov/ut/st/en/fo/vernal/html



IN REPLY REFER TO: 3160 UT08300

May 12, 2008

Mandie Crozier Newfield Production Company Route 3, Box 3630 Myton, UT 84052 43047 34394

Re: Notice of Expiration

Well No. Federal 13-11-9-18 SWSW, Sec. 11, T9S, R18E Uintah County, Utah

Lease No. UTU-15392

Dear Ms. Crozier:

The Application for Permit to Drill (APD) the above-referenced well was approved on March 8, 2007. No extension of the original APD was requested. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact me at (435) 781-4455.

Sincerely,


Cindy Severson

Cindy Severson Land Law Examiner

cc: UDOGM

RECEIVED
MAY 19 2008

DIV. OF OIL, GAS & MINING



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

March 24, 2009

Mandie Crozier Newfield Production Co. Route 3 Box 3630 Myton, UT 84052 93 097 36386 Federal 13-11-9-18 95 18E 11

Re:

APD Rescinded at the request of Newfield Production Company

Uintah County

Dear Ms. Crozier:

Enclosed find the list of APDs that you requested to be rescinded to Newfield Production Company. No drilling activities at these locations have been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective March 23, 2009.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Masor

Environmental Scientist

cc:

Well File

Bureau of Land Management, Vernal



- 43-047-36387 FEDERAL 15-11-9-18
- 43-047-36377 FEDERAL 13-1-9-18
- 43-047-36378 FEDERAL 1-11-9-18
- 43-047-36379 FEDERAL 3-11-9-18
- 43-047-36380 FEDERAL 5-11-9-18
- 43-047-36381 FEDERAL 7-11-9-18
- 43-047-36382 FEDERAL 9-11-9-18
- 43-047-36385 FEDERAL 11-11-9-18
- 43-047-36470 FEDERAL 13-12-9-18
- 43-047-36471 FEDERAL 15-12-9-18
- 43-047-36386 FEDERAL 13-11-9-18